


WEST Search History

DATE: Sunday, July 27, 2003

<u>Set Name</u>	<u>Query</u>	<u>Hit Count</u>	<u>Set Name</u>
side by side			result set
<i>DB=USPT; PLUR=YES; OP=ADJ</i>			
L7	L6 and l5	3	L7
L6	(l2 or l3 or l4)	13	L6
L5	(709/223 OR 709/224 OR 709/220).CCLS.	2614	L5
L4	6260062[uref]	3	L4
L3	6104796[uref]	7	L3
L2	5970120[uref]	4	L2
L1	(5970120 or 5905908)[pn]	2	L1

END OF SEARCH HISTORY



(10) Patent No.: US 6,263,366 B1
(45) Date of Patent: *Jul. 17, 2001

- | | | | |
|-----------|-----------|---------------------|---------|
| 5,870,749 | * 2/1999 | Adusumilli | 707/101 |
| 5,892,950 | * 4/1999 | Rigori et al. | 717/5 |
| 5,991,814 | * 11/1999 | Rzonca et al. | 709/237 |
| 6,002,758 | * 12/1999 | Ely et al. | 379/207 |
| 6,047,279 | * 4/2000 | Barrack et al. | 706/60 |
| 6,052,382 | * 4/2000 | Burke et al. | 370/466 |
| 6,055,243 | * 4/2000 | Vincent et al. | 370/466 |
| 6,085,255 | * 7/2000 | Vincent et al. | 709/238 |
| 6,105,061 | * 8/2000 | Nakai | 709/223 |
| 6,138,272 | * 10/2000 | Tonouchi | 717/5 |

FOREIGN PATENT DOCUMENTS

- | | | |
|-----------|---------|------|
| 0510411A2 | 10/1992 | (EP) |
| 0691776A2 | 1/1996 | (EP) |
| 0692901A2 | 1/1996 | (EP) |
| 2240693A | 8/1991 | (GB) |
| 01264048 | 10/1989 | (JP) |
| 03280775 | 12/1990 | (JP) |
| 04245841 | 9/1992 | (JP) |
| 06070016 | 3/1994 | (JP) |

OTHER PUBLICATIONS

- Computer Dictionary, 2nd ed., Microsoft Press, pp. 335-336, 1994.*
- Shen, Q., "The Construction of an Open INMS," IEEE TENCON '93, 1993 IEEE Region 10 Conf., pp. 689-692.*
- "Secretarial Branch Exchange"—Zeheb, D.; IBM Technical Disclosure Bulletin, vol. 26, No. 5, pp. 2645-2647; Oct. 1983.

* cited by examiner

Primary Examiner—Zarni Maung
Assistant Examiner—Andrew Caldwell

(56) **References Cited**


U.S. PATENT DOCUMENTS

- | | | | |
|-------------|--------|--------------------|------------|
| 4,947,421 | 8/1990 | Toy et al. . | |
| 5,027,384 | 6/1991 | Morganstein . | |
| 5,029,196 | 7/1991 | Morganstein . | |
| 5,309,512 | 5/1994 | Blackmon et al. . | |
| 5,317,742 * | 5/1994 | Bapat | 395/680 |
| 5,452,433 * | 9/1995 | Nihart et al. | 395/500 |
| 5,608,720 | 3/1997 | Biegel et al. | 370/249 |
| 5,613,100 * | 3/1997 | Anezaki | 395/500 |
| 5,619,561 | 4/1997 | Reese . | |
| 5,740,368 * | 4/1998 | Villalpando | 395/200.32 |
| 5,764,955 * | 6/1998 | Doolan | 395/500 |

(57) **ABSTRACT**

A system for mapping an incoming protocol message to an operations system protocol message employs data tables each linked relationally to other data tables. At least one of the data tables represents an autonomous message to event map listing incoming protocol messages and their corresponding operations system protocol messages, and at least another of the data tables represents a non-autonomous message to directive map listing incoming protocol messages and their corresponding operations system protocol messages.

9 Claims, 7 Drawing Sheets






FIG. 2